

業績

2026 年

1. Inoue K, Watanabe F, Hasebe R, Kimura Y, Mizusawa Y, Aizawa H, Endo Y, Kato T, Noda H, Rikiyama T. The positional relationship between the inferior right hepatic and posterior portal veins. *J Hepatobiliary Pancreat Sci.* 2026 Apr;33(4):266-274. doi: 10.1002/jhbp.70073. Epub 2026 Jan 26.

2025 年

2. Endo Y, Noda H, Aizawa H, Inoue K, Watanabe F, Kato T, Mizusawa Y, Matsuzawa N, Rikiyama T. Bone mineral density decline in long-term pancreaticoduodenectomy survivors: dynamics and risk factors. *J Hepatobiliary Pancreat Sci.* 2025 Sep;32(9):698-705. doi: 10.1002/jhbp.12175. Epub 2025 Jun 16.

2024 年

3. Endo Y, Noda H, Iseki M, Aizawa H, Inoue K, Maeda S, Kato T, Watanabe F, Rikiyama T. Thick mesopancreas is a novel predictor of surgical outcomes of patients who undergo pancreaticoduodenectomy. *Langenbecks Arch Surg.* 2024 Jun 10;409(1):181. doi: 10.1007/s00423-024-03357-1.

2023 年

4. Noda H, Maemoto R, Ichida K, Aizawa H, Endo Y, Iseki M, Maeda S, Kato T, Watanabe F, Rikiyama T. Implementation of intraoperative wound irrigation with aqueous 10% povidone-iodine and triclosan-coated sutures is not effective for reducing the incidence of incisional surgical site infection after major hepato-biliary-pancreatic surgery in patients with preoperative biliary drainage. *J Hepatobiliary Pancreat Sci.* 2023 Jun;30(6):714-723. doi: 10.1002/jhbp.1271. Epub 2022 Dec 7.

5. Watanabe F, Suzuki K, Aizawa H, Endo Y, Takayama Y, Kakizawa N, Kato T, Noda H, Rikiyama T. Circulating tumor DNA in molecular assessment feasibly predicts early progression of pancreatic cancer that cannot be identified via initial imaging. *Sci Rep.* 2023 Mar 23;13(1):4809. doi: 10.1038/s41598-023-31051-7.

2022 年

6. Maemoto R, Noda H, Ichida K, Miyakura Y, Kakizawa N, Machida E, Aizawa H, Kato T, Iseki M, Fukui T, Muto Y, Fukai S, Tsujinaka S, Hatsuzawa Y, Watanabe F, Nagamori

M, Takahashi J, Kimura Y, Maeda S, Takayama N, Sakio R, Takahashi R, Takenami T, Matsuzawa N, Mieno M, Rikiyama T. Aqueous povidone-iodine versus normal saline for intraoperative wound irrigation on the incidence of surgical site infection in clean-contaminated wounds after gastroenterological surgery: a single institute, prospective, blinded-endpoint, randomized controlled trial. *Ann Surg.* 2022 Dec 20. doi: 10.1097/SLA.0000000000005786. Online ahead of print.

7. Endo Y, Suzuki K, Kimura Y, Tamaki S, Aizawa H, Abe I, Watanabe F, Kato T, Saito M, Futsuhara K, Noda H, Konishi F, Rikiyama T. Genome-wide DNA hypomethylation drives a more invasive pancreatic cancer phenotype and has predictive occult distant metastasis and prognosis potential. *Int J Oncol.* 2022 Jun;60(6):61.

2021 年

8. Maemoto R, Noda H, Ichida K, Tamaki S, Kanemitsu R, Machida E, Kikuchi N, Sakio R, Aizawa H, Fukui T, Kakizawa N, Muto Y, Iseki M, Fukuda R, Watanabe F, Kato T, Saito M, Tsujinaka S, Miyakura Y, Rikiyama T. Superiority trial comparing intraoperative wound irrigation with aqueous 10% povidone-iodine to saline for the purpose of reducing surgical site infection after elective gastrointestinal surgery: study protocol for a randomised controlled trial. *BMJ Open.* 2021;11(6):e051374. doi: 10.1136/bmjopen-2021-051374.

9. Okutomi Y, Kato T, Aizawa H, Endo Y, Kasahara N, Watanabe F, Noda H, Rikiyama T. Large Brunner's gland hyperplasia with bleeding: a case report. *Case Rep Surg.* 2021 Jun 11;2021:8861308. doi: 10.1155/2021/8861308.

10. Fukui T, Noda H, Watanabe F, Kato T, Endo Y, Aizawa H, Kakizawa N, Iseki M, Rikiyama T. Drain output volume after pancreaticoduodenectomy is a useful warning sign for postoperative complications. *BMC Surg.* 2021 Jun 3;21(1):279. doi: 10.1186/s12893-021-01285-1.

11. Iseki M, Noda H, Watanabe F, Kato T, Endo Y, Aizawa H, Fukui T, Ichida K, Kakizawa N, Rikiyama T. A deep pancreas is a novel predictor of pancreatic fistula after pancreaticoduodenectomy in patients with a nondilated main pancreatic duct. *Surgery.* 2021 Jun;169(6):1471-1479. doi: 10.1016/j.surg.2020.11.033. Epub 2020 Dec 31.

2019 年

12. Endo Y, Noda H, Watanabe F, Kakizawa N, Fukui T, Kato T, Ichida K, Aizawa H, Kasahara N, Rikiyama T. Bridge of preoperative biliary drainage is a useful management for patients undergoing pancreaticoduodenectomy. *Pancreatology.* 2019 Jul;19(5):775-780. doi: 10.1016/j.pan.2019.06.013. Epub 2019 Jun 23.

- 13.** Kasahara N, Noda H, Kakizawa N, Kato T, Watanabe F, Ichida K, Endo Y, Aizawa H, Rikiyama T. A lack of postoperative complications after pancreatectomy contributes to the long-term survival of patients with pancreatic cancer. *Pancreatol.* 2019 Jul;19(5):686-694. doi: 10.1016/j.pan.2019.06.012. Epub 2019 Jun 22.
- 14.** Endo Y, Noda H, Watanabe F, Kato T, Kakizawa N, Ichida K, Kasahara N, Rikiyama T. A retrospective analysis of preoperative evaluation and surgical resection for metastatic tumors of the pancreas. *Indian J Surg Oncol.* 2019 Jun;10(2):251-257. doi: 10.1007/s13193-019-00905-w. Epub 2019 Mar 18.
- 15.** Muto Y, Suzuki K, Kato T, Ichida K, Takayama Y, Fukui T, Kakizawa N, Watanabe F, Kaneda Y, Noda H, Rikiyama T. Multiple primary malignancies of six organs in a Japanese male patient: a case report. *Mol Clin Oncol.* 2019 May;10(5):511-515. doi: 10.3892/mco.2019.1819. Epub 2019 Mar 4.

2018 年

- 16.** Ichida K, Suzuki K, Fukui T, Takayama Y, Kakizawa N, Watanabe F, Ishikawa H, Muto Y, Kato T, Saito M, Futsuhara K, Miyakura Y, Noda H, Ohmori T, Konishi F, Rikiyama T. Overexpression of satellite alpha transcripts leads to chromosomal instability via segregation errors at specific chromosomes. *Int J Oncol.* 2018;52(5):1685-1693. doi: 10.3892/ijo.2018.4321.

2017 年

- 17.** Komuro H, Kato T, Okada S, Nakatani K, Matsumoto R, Nishida K, Iida H, Iida M, Tsujimoto S, Suganuma T. Toxic shock syndrome caused by suture abscess with methicillin-resistant *Staphylococcus aureus* (MRSA) with late onset after Caesarean section. *IDCases.* 2017 Jul 15;10:12-14. doi: 10.1016/j.idcr.2017.07.004.
- 18.** Kaneda Y, Noda H, Endo Y, Kakizawa N, Ichida K, Watanabe F, Kato T, Miyakura Y, Suzuki K, Rikiyama T. En bloc pancreaticoduodenectomy and right hemicolectomy for locally advanced right-sided colon cancer. *World J Gastrointest Oncol.* 2017 Sep 15;9(9):372-378. doi: 10.4251/wjgo.v9.i9.372.
- 19.** Suzuki K, Muto Y, Ichida K, Fukui T, Takayama Y, Kakizawa N, Kato T, Hasegawa F, Watanabe F, Kaneda Y, Kikukawa R, Saito M, Tsujinaka S, Futsuhara K, Takata O, Noda H, Miyakura Y, Kiyozaki H, Konishi F, Rikiyama T. Morphological response contributes to patient selection for rescue liver resection in chemotherapy patients with initially unresectable colorectal liver metastasis. *Oncol Lett.* 2017 Aug;14(2):1491-1499.
- 20.** Nishida K, Kato T, Lefor AK, Suganuma T. Laparoscopic resection of sigmoid colon cancer with intestinal malrotation: a case report. *Int J Surg Case Rep.* 2017;34:77-80.

doi: 10.1016/j.ijscr.2017.03.024.

21. Ichida K, Suzuki K, Fukui T, Takayama Y, Kakizawa N, Muto Y, Kato K, Hasegawa F, Watanabe F, Kaneda Y, Kikugawa R, Saito M, Tsujinaka S, Futsuhara F, Miyakura Y, Noda H, Kiyozaki H, Rikiyama T. Significance of the difference in the size of liver tumors in the management of patients with colorectal liver metastases. *J Mol Genet Med.* 2017;11:254. doi: 10.4172/1747-0862.1000254.

22. Nakatani K, Kato T, Okada S, Matsumoto R, Nishida K, Komuro H, Suganuma T. Successful treatment with hyperbaric oxygen therapy for pneumatosis cystoides intestinalis as a complication in granulomatosis with polyangiitis: a case report. *J Med Case Rep.* 2017;11:263.

23. Harada S, Kato T, Okada S, Nakatani K, Matsumoto R, Nishida K, Komuro H, Yokoyama A, Takase C, Suganuma T. Necrotizing soft tissue infections of the thigh associated with retroperitoneal abscess in a patient with locally advanced ascending colon cancer: a case report. *IDCases.* 2017.

2016 年

24. Kato T, Alonso S, Muto Y, Noda H, Miyakura Y, Suzuki K, Tsujinaka S, Saito M, Perucho M, Rikiyama T. Clinical characteristics of synchronous colorectal cancers in Japan. *World J Surg Oncol.* 2016 Oct 14;14(1):272.

25. Nakatani K, Kato T, Okada S, Matsumoto R, Nishida K, Komuro H, Iida M, Tsujimoto S, Suganuma T. Flare-up diverticulitis in the terminal ileum in short interval after conservative therapy: report of a case. *Case Rep Surg.* 2016.

26. Nakatani K, Kato T, Okada S, Matsumoto R, Nishida K, Komuro H, Iida M, Tsujimoto S, Suganuma T. Ascending colon cancer associated with deposited ova of *Schistosoma japonicum* in a non-endemic area. *IDCases.* 2016 Sep 20;6:52-54.

27. Muto Y, Suzuki K, Kato T, Tsujinaka S, Ichida K, Takayama Y, Fukui T, Kakizawa N, Watanabe F, Saito M, Futsuhara K, Noda H, Miyakura Y, Konishi F, Rikiyama T. Heterogeneous expression of zinc-finger E-box-binding homeobox 1 plays a pivotal role in metastasis via regulation of miR-200c in epithelial-mesenchymal transition. *Int J Oncol.* 2016 Sep;49(3):1057-1067. doi: 10.3892/ijco.2016.3583.

28. Nishida K, Kato T, Yuzaki I, Suganuma T. *Edwardsiella tarda* bacteremia with metastatic gastric cancer. *IDCases.* 2016 Aug 1;5:76-77. doi: 10.1016/j.idcr.2016.07.005.

29. Kato T, Noda H, Abe I, Alonso S, Yokoyama N, Rikiyama T. Curative resection for leiomyosarcoma of the descending mesocolon with metachronous liver metastasis: case report and literature review. *Mol Clin Oncol.* 2016 Jul;5(1):53-56.

30. Kato T, Alonso S, Noda H, Miyakura Y, Tsujinaka S, Saito M, Muto Y, Fukui T, Ichida

K, Takayama Y, Watanabe F, Kakizawa N, Perucho M, Rikiyama T. Malignant, but not benign, intraductal papillary mucinous neoplasm preferentially associates with prior extrapancreatic malignancies. *Oncol Rep.* 2016 Jun;35(6):3236-3240. doi: 10.3892/or.2016.4755.

31. Kato T, Alonso S, Muto Y, Perucho M, Rikiyama T. Tumor size is an independent risk predictor for metachronous colorectal cancer. *Oncotarget.* 2016 Apr 5;7(14):17896-17904. doi: 10.18632/oncotarget.7555.

2015 年

32. Alonso S, González B, Ruiz LT, Durán DM, Kato T, Matsunaga A, Suzuki K, Strongin YA, Giménez BP, Perucho M. Epigenetic inactivation of the extracellular matrix metalloproteinase ADAMTS19 gene and the metastatic spread in colorectal cancer. *Clin Epigenetics.* 2015 Dec 2;7:124.

33. Kato T, Suzuki K, Muto Y, Sasaki J, Tsujinaka S, Kawamura YJ, Noda H, Horie H, Konishi F, Rikiyama T. Multiple primary malignancies involving primary sporadic colorectal cancer in Japan: incidence of gastric cancer with colorectal cancer patients may be higher than previously recognized. *World J Surg Oncol.* 2015 Feb 13;13:23. doi: 10.1186/s12957-014-0432-2.

34. Tago K, Funakoshi-Tago M, Itoh H, Furukawa Y, Kikuchi J, Kato T, Suzuki K, Yanagisawa K. Arf tumor suppressor disrupts the oncogenic positive feedback loop including c-Myc and DDX5. *Oncogene.* 2015 Jan 15;34(3):314-322. doi: 10.1038/onc.2013.561.

2014 年

35. Suzuki K, Kato T, Muto Y, Ichida K, Fukui T, Takayama Y, Tsujinaka S, Sasaki J, Horie H, Kawamura YJ, Konishi F, Rikiyama T. XELIRI regimen plus continuous treatment with bevacizumab is well tolerated and effective in metastatic colorectal cancer patients in a second-line setting involving the sequential administration of XELOX and XELIRI. *Mol Clin Oncol.* 2014 Sep;2(5):827-832.

36. Muto Y, Maeda T, Suzuki K, Kato T, Watanabe F, Kamiyama H, Saito M, Koizumi K, Miyaki Y, Konishi F, Alonso S, Perucho M, Rikiyama T. DNA methylation alterations of AXIN2 in serrated adenomas and colon carcinomas with microsatellite instability. *BMC Cancer.* 2014 Jun 26;14:466. doi: 10.1186/1471-2407-14-466.

37. Kakizawa N, Noda H, Watanabe F, Kamiyama H, Kato T, Ichida K, Toyama N, Konishi F, Rikiyama T. Instruction of expert surgeon secures favorable outcomes after standard pancreaticoduodenectomy performed by less experienced surgeon.

Hepatogastroenterology. 2014 Jan-Feb;61(129):203-207.

2012 年

38. Noda H, Kamiyama H, Kato T, Watanabe F, Kakizawa N, Toyama N, Konishi F. Factors influencing improved patient outcomes after pancreaticoduodenectomy: a single institute experience of 209 consecutive patients in a decade. *Hepatogastroenterology*. 2012 Oct;59(119):2310-2313.

39. Noda H, Kamiyama H, Kato T, Watanabe F, Toyama N, Konishi F. Risk factor for pancreatic fistula after pancreaticoduodenectomy performed by a surgeon during a learning curve: analysis of a single surgeon's experiences of 100 consecutive patients. *Hepatogastroenterology*. 2012 Sep;59(118):1990-1993.

40. Watanabe F, Noda H, Kamiyama H, Kato T, Kakizawa N, Ichida K, Toyama N, Konishi F. Risk factors for intra-abdominal infection after pancreaticoduodenectomy: a retrospective analysis to evaluate the significance of preoperative biliary drainage and postoperative pancreatic fistula. *Hepatogastroenterology*. 2012 May;59(116):1270-1273.

41. Kato T, Suzuki K, Okada S, Kamiyama H, Maeda T, Saito M, Koizumi K, Miyaki Y, Konishi F. Aberrant methylation of PSD disturbs Rac1-mediated immune responses governing neutrophil chemotaxis and apoptosis in ulcerative colitis-associated carcinogenesis. *Int J Oncol*. 2012 Apr;40(4):942-950.

42. Okada S, Suzuki K, Kato T, Noda H, Kamiyama H, Maeda T, Saito M, Koizumi K, Miyaki Y, Konishi F. Aberrant methylation of the pleckstrin and Sec7 domain-containing gene is implicated in ulcerative colitis-associated carcinogenesis through its inhibitory effect on apoptosis. *Int J Oncol*. 2012 Mar;40(3):686-694.

43. Saito M, Suzuki K, Maeda T, Kato T, Kamiyama H, Koizumi K, Miyaki Y, Okada S, Kiyozaki H, Konishi F. The accumulation of DNA demethylation in Sat alpha in normal gastric tissues with *Helicobacter pylori* infection renders the susceptibility to gastric cancer in some fractions of individuals. *Oncol Rep*. 2012 Jun;27(6):1717-1725.

44. Miyaki Y, Suzuki K, Koizumi K, Kato T, Saito M, Kamiyama H, Maeda T, Shibata K, Shiya N, Konishi F. Identification of a potent epigenetic biomarker for resistance to camptothecin and poor outcome to irinotecan-based chemotherapy in colon cancer. *Int J Oncol*. 2012 Jan;40(1):217-226.

2011 年

45. Noda H, Suminaga Y, Kato T, Kamiyama H, Konishi F. Laparoscopic adrenalectomy by general surgeons familiar with laparoscopic surgical skills: experiences of a single center. *Asian J Endosc Surg*. 2011 Feb;4(1):16-19.

2010 年

46. Kato T, Miyazaki K, Nakamura T, Tan KY, Chiba T, Konishi F. Perforated phlebosclerotic colitis: description of a case and review of this condition. *Colorectal Dis.* 2010 Feb;12(2):149-151.

47. Noda H, Kato T, Kamiyama H, Toyama N, Konishi F. Middle-preserving pancreatectomy for advanced transverse colon cancer invading the duodenum and non-functioning endocrine tumor in the pancreatic tail. *Clin J Gastroenterol.* 2010. Epub ahead of print.

48. Noda H, Kato T, Kamiyama H, Toyama N, Konishi F. En bloc right hemicolectomy and pancreaticoduodenectomy with superior mesenteric vein resection for advanced right-sided colon cancer. *Clin J Gastroenterol.* 2010. Epub ahead of print.

2005 年

49. Murakami S, Okubo K, Tsuji Y, Sakata H, Kikuchi M, Takahashi T, Kato T, Hirayama R. Serum levels of interleukin-12 in Graves' disease and their dynamic changes after surgery. *Surg Today.* 2005;35(12):1016-1020.